

**BF—111—2016**

**FACULTY OF SCIENCE**

**B.Sc. (First Semester) EXAMINATION**

**NOVEMBER/DECEMBER, 2016**

**(CBCS Pattern)**

**PHYSICS**

Paper II (Phy-112)

(Mathematical Methods in Physics)

(MCQ + Theory)

**(Saturday, 10-12-2016)**

**Time : 10.00 a.m. to 12.00 noon**

*Time—2 Hours*

*Maximum Marks—40*

*N.B. :—(i) All questions are compulsory.*

*(ii) Non-programmable calculators are allowed.*

*(iii) Figures to the right indicate full marks.*

*(iv) Symbols have their usual meaning.*

**MCQ**

1. Choose the *correct* answer :

10

(1) Two vectors having same magnitude as well as direction called :

(a) equal vectors

(b) opposite vectors

(c) unequal vectors

(d) negative vectors

P.T.O.

9A6A368980596579E2CF20E604E036FD

WT

(2) If  $\vec{A}$ ,  $\vec{B}$  and  $\vec{C}$  are three vectors then the triple product  $\vec{A} \times (\vec{B} \times \vec{C})$  is :

(a)  $\vec{A}(\vec{B} \cdot \vec{C}) - \vec{C}(\vec{A} \cdot \vec{B})$

(b)  $\vec{C}(\vec{A} \cdot \vec{B}) - (\vec{A} \cdot \vec{B})\vec{C}$

(c)  $(\vec{A} \cdot \vec{C})\vec{B} - (\vec{A} \cdot \vec{B})\vec{C}$

(d)  $\vec{A} \times (\vec{B} \cdot \vec{C}) - \vec{B} \times (\vec{A} \cdot \vec{C})$

(3) Gradient of scalar is always :

(a) Scalar

(b) Vector

(c) Zero

(d)  $\infty$

(4) The complex conjugate of a complex number  $z = x + iy$  is :

(a)  $\bar{z} = x - iy$

(b)  $\bar{z} = x - iy$

(c)  $\bar{z} = x + iy$

(d)  $\bar{z} = x + iy$

(5) The complex number can be represented graphically by :

(a) Maxborn diagram

(b) Legendary diagram

(c) Planck's diagram

(d) Argand diagram

(6) The product of two complex numbers  $(2 + 4i)$  and  $(2 + 4i)^{-1}$  is

(a) 1

(b) 0

(c) 4

(d) 6

(7) In polar co-ordinates x-coordinate is represented by :

(a)  $r \sin \theta$

(b)  $r \cos \theta$

(c)  $r \tan \theta$

(d)  $r \cot \theta$

2016  
x C

WT

( 3 )

BF-111-2016

- (8) If  $f'(x)$  goes from ..... then the point is maximum.  
 (a) -ve to +ve (b) +ve to +ve  
 (c) -ve to -ve (d) +ve to -ve
- (9) In the Fourier series

$$f(x) = a_0 + \sum_{n=1}^{\infty} a_n \cos nx + \sum_{n=1}^{\infty} b_n \sin nx.$$

The function  $\sin nx$  and  $\cos nx$  have the period of ..... in  $-\pi$  to  $\pi$ .

- (a)  $\pi$  (b)  $2\pi$   
 (c)  $\frac{\pi}{2}$  (d)  $\frac{\pi}{4}$
- (10) If the function  $f(x)$  is an even function of  $x$  then  $f(-x)$  is :  
 (a)  $f(-x) = f(x)$  (b)  $f(-x) = 0$   
 (c)  $f(-x) = -f(x)$  (d)  $f(-x) = \infty$

**Theory**

10

2. Attempt any five of the following :

- (i) State Green's theorem.  
 (ii) If

$$\bar{A} = 2\bar{i} - \bar{j} + \bar{k}, \bar{B} = \bar{i} + 2\bar{j} + 3\bar{k} \text{ and } \bar{C} = 3\bar{i} - 4\bar{j} + 5\bar{k};$$

then prove :

$$\bar{A} \cdot (\bar{B} \times \bar{C}) = 0$$

- (iii) If

$$z_1 = x_1 + iy_1 \text{ and } z_2 = x_2 - iy_2;$$

then solve  $z_1 + z_2$ .

- (iv) If

$$z_1 = (2 - 2i) \text{ and } z_2 = (4 + 2i),$$

then  $z_1 \cdot z_2 = ?$

- (v) What is Chain rule ?

P.T.O.

9A6A368980596579E2CF20E604E036FD

( 4 )

WT

- (vi) State sine series in Fourier series.  
 (vii) For a function  $F(x, y)$ ,  $x$  and  $y$  are the Cartesian co-ordinates. Write these co-ordinates in polar form. 10

3. Attempt the following :

- (i) State gradient of scalar field and explain its physical significance.

Or

Explain Argand diagram for division of two complex numbers.

- (ii) Explain minima and maxima.

Or

In the Fourier series :

$$a_0 + \sum_{n=1}^{\infty} a_n \cos nx + \sum_{n=1}^{\infty} b_n \sin nx$$

evaluate  $a_0$ .

4. Attempt any *one* of the following :

10

- (i) Prove :

(a)  $\bar{\nabla} \times \bar{\nabla} \phi = 0$

(b)  $\bar{\nabla} \cdot (\bar{\nabla} \times \bar{A}) = 0$

- (ii) Explain the graphical representation of even and odd functions.